

INDEX MAPS.

T. 12 N., R. 3 E. 2nd Mer.

	457		456		456		456		455		455	
459	6	481	5	475	4	471	3	467	2	463	1	454
	481		481		475		471		467		463	
459	7	480	8	474	9	470	10	466	11	462	12	454
	480		479		474		470		466		462	
458	18	479	17	474	16	469	15	465	14	462	13	454
	479		478		473		469		465		461	
458	19	478	20	473	21	469	22	465	23	461	24	453
	477		477		472		468		464		461	
457	30	477	29	472	28	468	27	464	26	460	25	453
	476		476		472		468		464		460	
457	31	476	32	471	33	467	34	463	35	459	36	453
	452		452		452		451		451		451	

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

451

Township N. 12 N. Range N. 3 E. 2^d Mer. Indiana

South Boundary, var. 6.45' E.

- West On S. boundary of Sec. 36, T12 N. R. 3 E.,
 20.07 a Sugar 20 in. dia.
 30.50 a Branch 8 lks. wide Course North
 40.00 Set the q. Sec. post from which
 a Beech 9 in. dia. bears N 65 W 15 lks. dist. &
 a Do 20 " " " S 60 E 40 " "
 70.42 an Ash 30 " "
 80.00 Set a post Cor. to Sec. 35 & 36, T12 N. R. 3 E. from which
 a Water Beech 9 in. dia. bears S 17 W 5 lks. dist. &
 a Beech 12 " " " N 71 E 23 " "
 Over Rich level Land, timber Beech, Poplar, Ash &c.

- West On S. boundary of Sec. 35, T12 N. R. 3 E.
 17.90 a Creek 20 lks. wide Cr. North
 39.68 a Beech 14 in dia.
 40.00 Set the q. Sec. post from which
 a ——— 7 in. dia. bears S 62 W 20 lks. dist. &
 a Do 18 " " " S 52 E 12 " "
 61.39 a Beech 20 " "
 80.00 Set a post Cor. to Sec. 34 & 35, T12 N. R. 3 E. from which
 an Ash 21 in. dia. bears S 68 W 11 lks. dist. &
 an Elm 15 " " " S 73 E 7 " "
 Good farming Land, timber Beech, Sugar, Ash
 &c. undergth Spice

- West On S. boundary of Sec. 34, T12 N. R. 3 E.
 23.53 a Beech 14 in. dia.
 40.00 Set the q. Sec. post from which
 an Ash 8 in. dia. bear N 30 E 5 lks. dist. &
 an Elm 24 " " " S 35 W 31 " "
 66.88 an Ash 24 " "
 80.00 Set a post Cor. to Sec. 33 & 34, T12 N. R. 3 E. from which

T12 N R3 E 2nd. Mer. Indiana

a Beech 6 in dia. bears N42 E 20 lks. dist. &
 a Sugar 9 " " " N58 W 26 " "
 Level Land, timber Beech Ash &c. undergth Spice

West On S. boundary of Sec. 35, T12 N R. 3 E,
 22.41 a Beech 14 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a — 4 in. dia. bears S60 W 10 lks. dist. &
 a Sugar 20 " " " N85 E 18 " "
 58.02 a Brook 8 lks. wide Cor. N.W.
 76.02 a Creek 50 " " " S.W.
 80.00 Set a post Cor. to Sec. 32 & 33, T12 N. R. 3 E. from which
 a Sugar 5 in. dia. bears N10 W 13 lks. dist. &
 a Beech — " " " S6 E 62 " "
 Good farming land, timber Beech & Sugar,
 ash &c. undergrowth Spice

West On S. boundary of Sec. 32, T12 N. R. 3 E
 20.31 a Beech 18 in dia.
 40.00 Set the q^r. Sec. post from which
 a Beech 12 in dia. bears N33 E 8 lks. dist. &
 a Sugar 10 " " " N68 W 32 " "
 62.08 a Poplar 36 " "
 80.00 Set a post Cor. to Sec. 31 & 32 T12 N. R. 3 E. from which
 a Beech 13 in. dia. bears N27 W 16 lks. dist. &
 a Do 24 " " " S42 W 10 " "
 Land rolling timber Beech ash Oak Hundgth Spice

West On S. boundary of Sec. 31, T12 N. R. 3 E.
 24.77 a W. Oak 40 in. dia.
 29.70 a Creek 50 lks. wide Conree, S.W.
 40.00 Set the q^r. Sec. post from which
 a Beech 5 in. dia. bears N43 W 17 lks. dist. &

T12N. R3E. 2^d. Mer. Indiana

a Beech 12 in dia. bears South 21 lbs. dist.
70.31 to Town Corner. June 29th 1819

East Boundary var. 5th 55th

North On E. boundary of Sec. 36, T12N. R3E.

14.10 a Beech 15 in dia.

32.00 a Branch 7 lbs. wide C.S. 19.

40.00 At the g. Sec. post, from which
an Elm 24 in dia. bears S 72 lbs. dist. of
a No 20 " " " N 9 E 22 " "

64.50 a Beech 15 " "

80.00 At a post Cor. to Sec. 25 & 36, from which
a Beech 7 in dia. bears S 47 N 5 lbs. dist. of
a No 8 " " " S 73 E 19 " "

Level land, timber, Beech, Ash, Elm & undug.
Spruce &c

North On E. boundary of Sec. 25, T12N. R3E.

17.90 a Beech 12 in dia.

40.00 At the g. Sec. post, from which
a Spr. Ash 9 in dia. bears S 56 E 3 lbs. dist. of
a Beech 30 " " " N 74 N 30 " "

67.90 a Beech 27 " "

80.00 At a post Cor. to Sec. 24 & 25, from which
a Sugar 6 in dia. bears S 11 N 20 lbs. dist. of
a Beech 12 " " " N 17 E 25 " "
Sand timber &c. as on the last mile

North On E. boundary of Sec. 24, T12N. R3E.

13.10 an Ash 30 in dia.

40.00 At the g. Sec. post, from which
a Beech 18 in dia. bears S 18 N 15 lbs. dist. of
a Dogw. 6 " " " N 83 E 15 " "

T2 N - R3 E, 2nd Mer. Indiana

54.95 a Beech 18 in. dia.
 64.60 a Branch 6 lbs. wide C. S. E.
 80.00 Let a post Cor. to Sec. 13 of 24, from which
 a Beech 9 in. dia. bray 34 N 10 E dist. of
 a Do 9 " " " N 56 E 22 " "
 Gently rolling, timber Beech, Ash, underg.
 Spruce, Soil Good

North On E. boundary of Sec. 13, T2 N. R3 E.
 25.20 a Red Oak 30 in. dia.
 32.00 a Branch 4 lbs. wide C. S. E.
 40.00 Let the g. Sec. post, from which
 a Beech 12 in. dia. bray N 22 E 5 lbs. dist. of
 a R. Oak 27 " " " N 69 E 35 " "
 61.00 a Beech 12 " "
 80.00 Let a post Cor. to Sec. 12 of 13, from which
 a Beech 18 in. dia. bray S 50 E 26 lbs. dist. of
 a Do 9 " " " N 35 E 36 " "
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T2 N. R3 E.
 26.85 a Sugar 18 in. dia.
 40.00 Let the g. Sec. post, from which
 a Sugar 6 in. dia. bray N 44 E 5 lbs. dist. of
 a Beech 18 " " " S 54 E 35 " "
 68.10 an Ash 27 " "
 80.00 Let a post Cor. to Sec. 11 of 12, from which
 a Beech 15 in. dia. bray N 82 E 15 lbs. dist. of
 an Ash 9 " " " S 68 E 27 " "
 Level land good for farming, timber Beech,
 Ash, Elm &c. underg. Spruce

North On E. boundary of Sec. 1, T2 N. R3 E.

Twp. 12 N. R. 3 E. 2^d Mer. Indiana

4.70 an Ash 20 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 10 in. dia. bear N 4 E 23 lks. dist. of
 a Do 7 " " " N 7 E 23 " "
 73.85 Let a post Cor. to Town 12 of 13 North, of
 Range 3 of 4 E. from which
 a H. Oak 27 in. dia. bear N 21 W 6 lks. dist. of
 a Beech 12 " " " N 17 E 35 " "
 Level land timber as on the last mile

North Boundary var 5th 10th E.
 West On S. boundary of Sec. 36, T 13 N. R 3 E.
 40.00 Let the gr. Sec. post, from which
 a Beech 12 in. dia. bear S 57 E 13 lks. dist. of
 a Do 14 " " " N 42 W 12 " "
 42.75 a Beech 15 " "
 80.00 Let a post Cor. to Sec. 35 of 36, T 13 N. R 3 E. from which
 an Ash 6 in. dia. bear S 44 E 13 lks. dist. of
 a Beech 10 " " " N 37 W 18 " "
 Level land good for farming, timber Beech, Oak
 Sugar etc. under to Office &c.

West On S. boundary of Sec. 35, T 13 N. R 3 E.
 2.10 a Beech 15 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 18 in. dia. bear S 60 W 26 lks. dist. of
 a Do 9 " " " S 57 E 18 " "
 47.20 a Beech 18 " "
 80.00 Let a post Cor. to Sec. 34 of 35, T 13 N. R 3 E. from which
 a Beech 12 in. dia. bear S 49 W 23 lks. dist. of
 a Do 14 " " " N 14 E 27 " "
 Land timber &c. same as on the last mile

T13N R3E T. Mer. Indiana

Nest On S. boundary of Sec. 34, T13N, R3E.
6.00 a Branch 6 lrs. wide C.S. S.W.

7.10 a Beech 20 in. dia.

40.00 Let the gr. Sec. post, from which
a Sugar 10 in. dia. bear N49W 34 lrs. dist. of
a Do 12 " " " N89E 34 " "

46.75 a Beech 9 " "

80.00 Let a post Cor. to Sec. 33 & 34, T13N, R3E, from
which an Elm 10 in. dia. bear N37W 10 lrs. dist. of
an Ironwood 8 " " " S36E 23 " "

Land level, timber Beech, Ash, Sugar, Elm &c.
undergth Spice briar &c. Soil good

Nest On S. boundary of Sec. 33, T13N, R3E.

4.35 a Beech 15 in. dia.

40.00 Let the gr. Sec. post, from which
a Beech 18 in. dia. bear N11E 19 lrs. dist. of
a Do 21 " " " S3E 28 " "

80.00 Let a post Cor. to Sec. 32 & 33, T13N, R3E, from which
a Beech 21 in. dia. bear N13W 3 lrs. dist. of
a Do 25 " " " N8W 24 " "

Land level, timber Beech, Sugar &c. undergth
Spice briar &c. Bushy field.

Nest On S. boundary of Sec 32, T13N, R3E.

8.95 a Beech 16 in. dia.

16.00 a Branch 6 lrs. wide C.S. S.W.

40.00 Let the gr. Sec. post, from which
a Sugar 18 in. dia. bear S15W 20 lrs. dist. of
a Do 18 " " " N61W 15 " "

42.80 a Sugar 10 " "

50.00 a Branch 6 lrs. wide Course S.W.

80.00 Let a post Cor. to Sec. 31 & 32, T13N, R3E, from which

Comp.

West N 3 E 2nd Mer. Indiana

a Beech 17 in. dia. bray N 35 W 19 lbs. dist. 5
 a Do 15 " " " N 66 E 33 " "
 Land level, timber Beech, Sugar &c. undg.
 Spice, Soil good.

West On S. boundary of Sec. 31, T 13 N. R 3 E.

1.40 a Beech 8 in. dia.

40.00 Let the gr. Sec. post, from which

a Sugar 9 in. dia. bray N 46 W 3 lbs. dist. 5

a Do 8 " " " N 61 E 9 " "

66.24 to Township Corner.

West Boundary var. E. 15' E.

North On E. boundary of Sec. 36, T 12 N. R 2 E.

17.25 a Branch 5 lbs. wide C. S. & M.

32.50 a Beech 20 in. dia.

40.00 Let the gr. Sec. post, from which

a Beech 18 in. dia. bray N 44 E 27 lbs. dist. 5

a Do 15 " " " N 33 W 33 " "

52.65 an Ash 12 " "

65.00 a Branch 7 lbs. wide C. S. & M.

80.00 Let a post cor. to Sec. 25 of 36, T 12 N. R 2 E. from which

a Beech 9 in. dia. bray N 26 W 18 lbs. dist. 5

an Ash 30 " " " N 37 E 47 " "

1st half Broken - last half level timber Beech
 ash, Poplar &c. undg. Spice &c. Soil good

North On E. boundary of Sec. 25, T 12 N. R 2 E.

22.38 a Beech 10 in. dia.

40.00 Let the gr. Sec. post, from which

a Beech 10 in. dia. bray N 22 W 12 lbs. dist. 5

a Do 22 " " " N 6 E 27 " "

52.40 a Red Oak 30 in. dia.

T12 N. R3 E. 2^d. Mer. Indiana

- 62.50 a Branch 5th. wide C.P. West
 67.50 a Creek 30 " " " S.W.
 80.00 Let a post Cor. to Sec. 24 & 25, T12 N. R2 E. from which
 a Hickory 9 in. dia. bear N35 W 12th. dist. of
 a Sassafras 6 " " " S14 E 8 " "
 Broken land, timber Beech, Oak, Ash &c. underg.th
 Spice, green briar &c. Soil good
-

- North On E. boundary of Sec. 24, T12 N. R2 E.
 14.17 an Ash 15 in. dia.
 39.25 a Branch 4th. wide Course S.W.
 40.00 Let the gr. Sec. post, from which
 a Beech 14 in. dia. bear S8 W 29th. dist. of
 a Sugar 9 " " " S12 E 24 " "
 78.50 a Creek 30th. wide Course S.W.
 80.00 Let a post Cor. to Sec. 13 & 24, T12 N. R2 E. from which
 a Beech 18 in. dia. bear N48 W 16th. dist. of
 a Ash 27 " " " S22 E 28 " "
 Over very broken land, timber Oak, Hickory, Beech &c.
 underg.th Spice & green briar.
-

- North On E. boundary of Sec. 13, T12 N. R2 E.
 8.65 a Beech 18 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 8 in. dia. bear N73 E 18th. dist. of
 a Ash 12 " " " N81 W 15 " "
 47.60 a Branch 4th. wide Course S.W.
 54.50 a Beech 12 in. dia.
 80.00 Let a post Cor. to Sec. 12 & 13, T12 N. R2 E. from which
 a Sugar 15 in. dia. bear S46 E 3th. dist. of
 a Ash 18 " " " N48 W 36 " "
 Broken land, Beech, Oak, Sugar &c. underg.th
 Spice green briar &c. Soil good.

T12N R3E 2^d Mer. Indiana

North On E. boundary of Sec. 12, T12N R2E.

1.50 a Branch 10th wide Course S.W.

14.90 a do 8 " " " S.W.

31.65 a Beech 9 in. dia.

40.00 Let the q. Sec. post, from which

a Hickory 7 in. dia. bear S51 E 22 lks. dist. of

an Ironw? 6 " " " N24 W 12 " "

45.95 a Poplar 36 " "

80.00 Let a post Cor. to Sec. 1 & 12, T12N R2E from which

a Sugar 10 in. dia. bear S81 W 3 lks. dist. of

a Beech 21 " " " S70 E 6 " "

Land rolling, timber, Beech, Oak, Ash, Sugar &c.

Underg^d. Spruce, prairie & soil good

North On E. boundary of Sec. 1, T12N R2E

5.60 a Beech 15 in. dia.

40.00 Let the q. Sec. post, from which

a Sugar 14 in. dia. bear S81 W 3 lks. dist. of

a do 15 " " " N25 E 20 " "

44.76 a Beech 16 " "

48.85 a Branch 6 lks. wide Course S.W.

73.90 Let a post Cor. to Townships N. 12 & 13 North, Range

N. 2 & 3 East, from which

a Beech 10 in. dia. bear N65 W 26 lks. dist. of

a do 27 " " " S51 E 7 " "

Level land.

July 4th 1819

Surveyed by John M. McDonald, Dep. Surveyor Co.

Subdivision

North Between Sec. 35 & 36, T12N R3E

8.11 a stream 6 lks. wide Course W.

21.50 a Beech 30 in. dia.

40.00 Let the q. Sec. post, from which

T12 N. R3 E. 2^d. Mer. Indiana

a Locust 2 in. dia. beam S10 W 30 lks. dist. of
a Beech 14 " " " N17 E 27 " "

43.40 a Beech 10 " "

69.70 a Spring draft Course N.W.

80.00 at a post Cor. to Sec. 25, 26, 35 & 36, from which
a Sugar 6 in. dia. beam S27 W 3 lks. dist. of
a Do 12 " " " N65 E 13 " "
1st half mile level 2^d. rate - 2^d half rolling 2^d. rate
timber Beech, Ash, Sugar &c. undug. Spruce &c.

East Ont. Random between Sec. 25 & 36, T12 N. R3 E.

40.00 at temp. of. Sec. post

80.34 Intertected E. boundary 100 lks. S. of post
Sand level, timber Beech, Ash, Poplar, Sugar
&c. undugth. Spruce &c.

West Corrected between Sec. 25 & 36, T12 N. R3 E.

40.17 at of. Sec. post at average dist. from which
a Beech 14 in. dia. beam S32 E 16 lks. dist. of
a Do 15 " " " N40 W 28 " "

80.34 to Sec. Corner.

North Between Sec. 25 & 26, T12 N. R3 E.

4.00 a Stream 5 lks. wide Course West

16.52 a Poplar 30 in. dia.

20.22 a Stream 10 lks. wide Course S.W.

40.00 at the of. Sec. post, from which
a Beech 24 in. dia. beam S52 W 11 lks. dist. of
a Do 12 " " " N30 E 36 " "

80.00 at a post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 15 in. dia. beam N76 E 33 lks. dist. of
an Ash 11 " " " S78 W 32 " "
Sand level 2^d. rate, timber, Beech, Ash, Sugar,

T12 N. R3 E. 2^d. Mer. Indiana

Poplar &c. undergrowth Spruce &c.

East On Random between Sec. 24 & 25, T12 N. R3 E.
 40.00 Let temp. q. Sec. post
 80.30 Intersected the E. boundary 32 lks. S. of post
 Land timber &c. Same as on the last mile

West Corrected between Sec. 24 & 25, T12 N. R3 E.
 40.15 Let q. Sec. post at average dist. from which
 a Hickory 10 in. dia. beam S50 W 25 lks. dist. of
 a Beech 14 " " " N56 E 17 " "
 80.30 to Sec. Corner.

North Between Sec. 23 & 24, T12 N. R3 E.
 40.00 Let the q. Sec. post, from which
 a Hickory 18 in. dia. beam S23 E 9 lks. dist. of
 a Beech 12 " " " N13 W 20 " "
 43.00 a Beech 11 " "
 80.00 Let a post cor. to Sec. 13, 14, 23 & 24, from which
 a Spruce 10 in. dia. beam N66 W 13 lks. dist. of
 a Sugar 8 " " " N86 E 29 " "
 Land timber &c. Same as on the last mile

East On Rand^m. between Sec. 13 & 24, T12 N. R3 E.
 40.00 Let temp. q. Sec. post
 80.02 Intersected the E. boundary 79 lks. N. of post
 Land timber &c. Same as on the last mile

West Corrected between Sec. 13 & 24, T12 N. R3 E.
 40.01 Let q. Sec. post at average dist. from which
 a Beech 15 in. dia. beam N86 E 23 lks. dist. of
 a Sugar 7 " " " S80 W 18 " "
 80.02 to Sec. Corner.

T12 N. R3 E. 2^d Mer. Indiana

North Between Secs. 13 & 14, T12 N. R3 E.

24.10 a Poplar 10 in. dia.

40.00 Set the gr. Sec. post, from which

a Beech 12 in. dia. bear S42 W 20 lbs. dist. of

a Do 10 " " " N48 E 21 " "

43.12 a Poplar 30 " "

80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which

a Hickory 10 in dia. bear N13 E 3 lbs. dist. of

an Ash 8 " " " S3 E 44 " "

Sand timber &c. same as on the last mile

East On Ran 9^m between Secs. 12 & 13, T12 N. R3 E.

40.00 Set temp. gr. Sec. post

80.46 Intersected the E. boundary 1.15 lbs. N. of post

Sand timber &c. same as on the last mile

West Corrected between Secs. 12 & 13, T12 N. R3 E.

40.23 Set gr. Sec. post at average dist. from which

a W. Oak 24 in. dia. bear N60 E 10 lbs. dist. of

a Do 10 " " " S86 W 24 " "

80.46 to Sec. Corner. (Monday Aug. 14th. 1820)

North Between Secs. 11 & 12, T12 N. R3 E.

21.00 an Ash 10 in. dia.

40.00 Set the gr. Sec. post, from which

a Beech 8 in. dia. bear S44 E 18 lbs. dist. of

a Hickory 12 " " " N38 W 5 " "

46.40 a Sugar 9 " "

80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which

a Beech 15 in. dia. bear N27 E 9 lbs. dist. of

an Ash 12 " " " S54 W 22 " "

Sand timber &c. same as on the last mile

T12 N. R3 E. 2^d. Mer. IndianaEast On Rand^m between Secs. 1 & 12, T12 N. R3 E.40.00 Let temp^y. g^r. Sec. post79.85 Intersected the E. boundary 186 lbs. N. of post
Sand timber &c. same as on the last mile

West Corrected between Secs. 1 & 12, T12 N. R3 E.

39.93 Let g^r. Sec. post at average dist. from which
an Elm 14 in. dia. bears N 30 E 7 links, dist. of
a Beech 12 " " " S 62 W 17 " "

79.85 to Sec. Corner

North Between Secs. 1 & 12, T12 N. R3 E.

16.56 a Sugar 8 in. dia.

40.00 Let the g^r. Sec. post, from which
a Gum 7 in. dia. bears S 29 W 44 lbs. dist. of
a Do 12 " " " S 8 W 34 " "

52.50 an Ash 20 " "

69.50 Intersected the boundary 120 lbs. E. of post. of

Let a post Corner to Secs. 1 & 12, from which
a Beech 11 in. dia. bears N 31 E 14 lbs. dist. of
a Do 22 " " " S 30 W 28 " "Soil thin, timber Beech, Ash, W. Oak &c. sundryth.
ash, Spruce &c.

North Between Secs. 34 & 35, T12 N. R3 E.

33.75 a Brook 30 lbs. wide Course S. W.

40.00 Let the g^r. Sec. post, from which
a Sugar 12 in. dia. bears S 11 W 35 lbs. dist. of
a Do 14 " " " S 7 E 30 " "

48.50 a Beech 12 " "

62.00 a Stream 4 lbs. wide Course S. W.

80.00 Let a post Cor. to Secs. 26, 27, 34 & 35, from which
a Beech 18 in. dia. bears N 40 E 10 lbs. dist. of

T12 N. R3 E. 2^d. Mer. Indiana

a Beech 12 in. dia. bears S55^W 14 lks. dist. of
Land rolling 2^d. rate, timber Beech, Ash &c.
undergrowth Spice Ironwood &c.

East On Rand^m. between Sec. 26 & 35, T12 N. R3 E.

40.00 Set temp^y. qⁱ. Sec. post

73.10 a dry branch 15 lks. wide Course South

80.03 Intersected the N. & S. line 102 lks. S. of the post
Land rolling 2^d. rate, timber Beech, Ash &c.
undergrowth Spice

West Corrected between Sec. 26 & 35, T12 N. R3 E.

40.02 1/2 Set qⁱ. Sec. post at average dist. from which
a Beech 8 in. dia. bears N79^E 23 lks. dist. of
a Do 6 " " " S86^W 16 " "

80.03 to Sec. Corner

North Between Sec. 26 & 27, T12 N. R3 E.

21.32 a Beech 10 in. dia.

40.00 Set the qⁱ. Sec. post from which

a Beech 12 in. dia. bears N18^W 9 lks. dist. of

a Do 14 " " " S45^E 19 " "

80.00 Set a post Corner to Sec. 22, 23, 26 & 27, from which

a Beech 12 in. dia. bears S84^E 19 lks. dist. of

a Sugar 14 " " " S84^W 19 " "

Land Rolling 2^d. rate timber Beech Ash Sugar
Undergrowth Spice Ash &c.

East On Random Between Sec. 23 & 26, T12 N. R. 3 E,

40.00 Set the temp^y. qⁱ. Sec. post

58.75 a stream 19 lks. wide Course S.

79.79 Intersected the N. & S. line 66 lks. S. of post

Soil rich timber as before undergth. Spice &c.

T12 N. R3 E. 2^d Mer. Indiana

West On true line Between Secs. 25 & 26, T12 N. R. 3 E
 39.89 Set the q^r. Sec. post at average dist. from which
 a Sugar 8 in. dia^r. bears S 25 E 22 lks. dist. &
 a Sugar 11 " " " N 59 W 5 " "
 79.79 to Section Corner. August 15th 1824

North Between Secs. 22 & 23, T12 N. R. 3 E,
 15.00 a White Oak 40 in dia^r.
 40.00 Set the q^r. Sec. post from which
 an Elm 30 in. dia^r. bears S 18 E 19 lks. dist. &
 a L^o 10 " " " N 1 W 4 " "
 71.10 a Hickory 12 " "
 80.00 Set a post Corner to Secs. 14, 15, 21 & 22, from which
 a Beech 14 in. dia^r. bears S 71 E 23 lks. dist. &
 a L^o 12 " " " N 39 W 11 " "
 Land good 2^d rate timber Beech Ash Sugar &c.
 undergrowth Spice.

East On Random Between Secs. 14 & 23, T12 N. R. 3 E,
 40.00 Set the temp^y. q^r. Sec. post
 79.60 Intersects the N. & S. line 91 lks S. of post.
 Land and timber as before, undergrowth Spice

West On true line Between Secs. 14 & 23, T12 N. R. 3 E
 39.80 Set the q^r. Sec. post at average dist. from which
 a Cherry 10 in. dia^r. bears N 7 E 22 lks. dist. &
 a Beech 8 " " " S 70 W 34 " "
 79.60 to Section Corner

North Between Secs. 14 & 15, T12 N. R. 3 E,
 17.10 a Sugar 12 in. dia^r.
 40.00 Set the q^r. Sec. post from which
 an Ash 24 in dia^r. bears N 80 E 8 lks. dist. &

Twp. N. R. 3 E. 2^d. Mer. Indiana

- a R. Oak 12 in. dia. bears S 19 W 23 lks. dist.
 40 . 70 a R. Oak 24 " "
 80 . 00 Set a post Corner to Sec. 10, 11, 14 & 15, from which
 a R. Oak 7 in. dia. bears N 26 W 30 lks. dist. &
 a W. Oak 30 " " " N 59 E 21 " "
 Land level good 2^d. rate timber and undergrowth as above.
-

- East On Random Between Sec. 11 & 14, T 12 N. R. 3 E,
 40 . 00 Set the temp. y. of Sec. post
 80 . 05 Intersected the N. & S. line 75 lks. N. of post
 Land level inclining to wet Ash & Swamp Oak
 undergrowth Spice Ash &c.
-

- West Corrected Between Sec. 11 & 14, T 12 N. R. 3 E,
 40 . 02 Set the of. Sec. post at average dist. from which
 a Beech 6 in. dia. bears N 36 W 16 lks. dist. &
 a W. Beech 8 " " " S 3 E 10 " "
 80 . 05 to Section Corner
-

- North Between Sec. 10 & 11, T 12 N. R. 3 E.
 21 . 08 a Beech 12 in. dia.
 40 . 00 Set the of. Sec. post from which
 a Beech 11 in. dia. bears S 8 E 33 lks. dist. &
 a Do 12 " " " N 59 W 10 " "
 56 . 56 a Beech 10 " "
 58 . 10 a Stream 4 lks. wide Course W.
 65 . 20 a dry branch 12 " " " S. W.
 80 . 00 Set a post Corner to Sec. 2, 3, 10 & 11, from which
 a Beech 6 in. dia. bears S 24 E 15 lks. dist. &
 a Do 14 " " " S 74 W 23 " "
 1st. 1/2 mile level 2^d. 1/2 mile rolling 2^d. rate timber
 as before
-

T12 N R3 E. 2^d Mer. Indiana

East On Random Between Sec. 2 & 11, T12 N. R3 E.
 40 . 07 Set the temp^y. q^r. Sec. post from which
 80 . 25 Intersected the N. & S. line 34 lks. N. of post.
 Land rolling good 2^d. rate timb^r. beech Ash
 Poplar undergrowth Spice.

West Corrected Between Sec. 2 & 11, T12 N R 3 E.
 40 . 12 Set a q^r. Sec. post at average dist. from which
 a Beech 16 in dia^r. bears S 53^W 13 lks. dist. &
 a Do 14 " " " N 48^E 33 " "
 80 . 25 to Section Corner

North Between Sec. 2 & 3, T12 N. R3 E, Aug^r. 16th 1820.
 06 . 05 an Elm 15 in. dia^r.
 20 . 75 a Spring draft Course S. W.
 40 . 00 Set the q^r. Sec. post from which
 a Beech 10 in. dia^r. bears S 74^E 14 lks. dist. &
 a Ash 16 " " " S 31^W 19 " "
 55 . 07 a Beech 12 " "
 67 . 25 Intersected the N. boundary 85^W. of post, Set a post
 Corner to Sec. 2 & 3, from which
 a Beech 36 in dia^r. bears S 54^W 13 lks. dist. &
 a Do — " " " N 45^E 49 " "
 Land and timber as before underg^r. Spice &c.

North Between Sec. 33 & 34, T12 N R 3 E.
 11 . 25 a Beech 12 in. dia^r.
 40 . 00 Set the q^r. Sec. post from which
 a Beech 12 in. dia^r. bears N 69^W 0 lks. dist. &
 a Sugar 10 " " " S 55^E 13 " "
 46 . 25 a Sugar 12 " "
 55 . 15 a Stream 35 lks. wide Course W.
 80 . 00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which

T12 N R3 E. 2^d Mer. Indiana

a Beech 30 in. dia. bears N48 E 27 lks. dist. &
 a Do 12 " " " S. 14 E 26 " "
 Land rolling 2^d rate timber Beech Ash Sugar
 &c undergrowth Spice &c.

East On Random Between Sec^s. 27 & 34, T12 N. R. 3 E.
 40 .00 Set the temp^y. q^r. Sec. post
 44 .00 a dry branch 8 lks. wide Course S.
 55 .50 a stream 5 lks. " " S. W.
 80 .10 Intersected the N. & S. line 185 lks. S. of post.
 Land and ^{timber} as before.

West Corrected Between Sec^s. 27 & 34, T12 N. R. 3 E.
 40 .05 Set the q^r. Sec. post at average dist. from which
 a Beech 10 in. dia. bears S44 E 19 lks. dist.
 a Dogwood 4 " " " N38 W10 " "
 80 .10 to Section Corner

North Between Sec^s. 27 & 28, T12 N. R. 3 E.
 15 .40 and Ash 12 in. dia.
 40 .00 Set the q^r. Sec. post from which
 a Beech 28 in. dia. bears S54 E 28 lks. dist. &
 a Do — " " " N22 E 18 " "
 61 .48 a Sugar 10 " "
 80 .00 Set a post Corner to Sec^s. 21, 22, 27 & 28. from which
 a Sugar 10 in. dia. bears S31 E 21 lks. dist. &
 a Beech 22 " " " N34 W20 " "
 Land level 2^d rate timber Beech Ash Sugar &c
 undergrowth Spice &c.

East On Random Betwⁿ Sec^s. 22 & 27, T12 N. R. 3 E.
 40 .08 Set the temp^y. q^r. Sec. post
 80 .12 Intersected the N. & S. line 216 lks. S. of post

T12 N - R3 E. 2^d. Mer. Indiana

Land and timber as before -

West Corrected Between Sec. 22 & 27. T12 N. R. 3 E
 40.06 Set a q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 35 W 5 lks. dist. &
 a Do 16 " " " S 10 E 12 " "
 80.12 to Section Corner

North Between Sec. 21 & 22, T12 N. R. 3 E,
 5.10 Lynn 30 in. dia.
 40.07 Set the q. Sec. post from which
 a Beech 10 in. dia. bears S 8 E 16 lks. dist. &
 a Sugar 24 " " " N 5 W 31 " "
 72.75 a R. Oak 48 " "
 80.07 Set a post Corner to Sec. 15, 16, 21, & 22, from which
 a Beech 10 in. dia. bears N 44 W 18 lks. dist. &
 a Ironwood 5 " " " S 19 E 24 " "
 Land and timber as before, undergrowth Spice &c.

East On ^{Range} Between Sec. 15 & 22, T12 N. R. 3 E.
 40.00 Set the temp. q. Sec. post
 80.02 Intersected the N. & S. line 188 lks. S. of post
 Land rolling 3^d. rate timber Beech Ash Hickory
 &c. undergth. Spice &c.

West Corrected Between Sec. 15 & 22, T12 N. R. 3 E
 40.11 Set the q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 65 E 32 lks. dist. &
 a Do 28 " " " S 37 W 47 " "
 80.12 to Section Corner

North Between Sec. 15 & 16, T12 N. R. 3 E,
 2.60 a Stream 12 lks. wide Cor. W.

12th N. R. 3 E. 2^d Mer. Indiana

- 17 .75 a Beech 12 in. dia.
 40 .00 Set the q. Sec. post from which
 a Beech 11 in. dia. bears S 10 E 27 lks. dist. &
 a Do 14 " " " N 42 W 18 " "
 53 .40 a Beech 15 " "
 64 .25 a Stream 12 lks. wide Course —
 80 .00 Set a post Corner To Sec. 9, 10, 15 & 16. from which
 a Sugar 13 in dia. bears S 19 E 16 lks. dist. &
 a Do 12 " " " N 73 W 8 " "
 Land rolling 2^d rate timber Beech Ash Sugar
 &c undergrowth Spice &c.

East On Random Between Sec. 10 & 15, S 12 N. R. 3 E.

- 40 .00 Set the temp. q. Sec. post
 79 .62 Intersected the N. & S. line 195 lks. S. of post
 Land level 2^d rate timber Beech Ash Sugar &
 Poplar, undergrowth Spice, August 17th 1820

West On true line Between Sec. 10 & 15, S 12 N. R. 3 E.

- 39 .81 Set the q. Sec. post at average dist. from which
 a Sugar 10 in dia. bears S 4 E 32 lks. dist. &
 a Beech 18 " " " West 14 " "
 79 .62 to Section Corner

North Between Sec. 9 & 10, S 12 N. R. 3 E.

- 3 .50 a Beech 12 in. dia.
 6 .50 a Spring draft Course N. W.
 21 .00 a Stream 12 lks. wide Course W
 40 .00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bears S 10 W 20 lks. dist. &
 a Do 8 " " " N 9 E 19 " "
 80 .00 Set a Corner to Sec. 3, 4, 9 & 10. from which
 a Water Beech 6 in. dia. bears S 30 W 20 lks. dist. &

S. 12 N. R. 3 E. 2nd Mer. Indiana

an Ash 5 in. dia^r. bears N 9 E 16 lks. dist. &
Land rolling timber Beech Ash Sugar &c.
undergrowth Spick -

East On Random Between Sec^s. 3 & 4, T. 12 N. R. 3 E.
40 . 00 Set the temp^y. q^r. Sec. post
50 . 00 a Stream 8 lks. wide Course South
63 . 50 a dry branch 12 " " " S. W.
80 . 15 Intersected the N. & S. line — lks. S. of post —
Land rolling 3rd rate, Beech, Sugar, Ash, &c.
undergrowth Spick &c.

West Corrected Between Sec^s. 3 & 4, T. 12 N. R. 3 E.
40 . 07 Set a q^r. Sec. post at average dist. from which
an Ash 16 in. dia^r. bears S 42 W 35 lks. dist. &
a Beech 20 " " " N 51 E 20 " "
80 15 To Section Corner

North Between Sec^s. 3 & 4, T. 12 N. R. 3 E.
05 . 40 an Ash 12 in. dia^r.
40 . 00 Set the q^r. Sec. post, from which
a Sugar 12 in. dia^r. bears S 40 E 22 lks. dist. &
a Dogw^d? 4 " " " N 16 E 22 " "
54 . 05 a Beech 8 " "
67 . 58 Intersected the N. boundary 175 lks. W. of post
Set a post Corner To Sec^s. 3 & 4, from which
a Beech 10 in. dia^r. bears N 11 W 37 lks. dist. &
a Sugar 16 " " " S 21 E 21 " "
Land and timber as before undergrowth Spice &c.

North Between Sec^s. 32 & 33, T. 12 N. R. 3 E.
03 . 45 a Hackberry 30 in. dia^r.
40 . 00 Set the q^r. Sec. post, from which

T2N R3E T. Mer. Indiana

- a Beech 10 in. dia. bears S-E 10 lks. dist. &
 a Do 12 " " " N 72° W 17 " "
 49.45 a Beech 7 " "
 80.00 Set a post Corner to Secs. 28, 29, 32 & 33, from which
 a Beech 9 in. dia. bears S 16 E 19 lks. dist. &
 a Do 12 " " " N 72° W 18 " "
 Land rolling 3^d. rate timber Ash Beech &c
 undergrowth Spice Ash Beech &c.

- East On Random Between Secs. 28 & 33, T2N R3E,
 40.00 Set the temp^y. of Sec. post.
 79.22 Intersects the N. & S. line 27 lks. S. of post
 Land level good 2^d. rate timber Beech Sugar
 Ash &c. undergrowth Spice &c.

- West Corrected Between Secs. 28 & 33, T2N R3E,
 39.61 Set a of. Sec. post at average dist. from which
 a Beech 24 in. dia. bears N 9 E 17 lks. dist. &
 a Sugar 20 " " " S 12 E 27 " "
 79.22 To Section Corner

- North Between Secs. 28 & 29, T2N R3E
 16.45 an Ash 12 in. dia.
 22.60 a Stream 12 lks. wide Course W.
 40.00 Set the of. Sec. post. from which
 an Ash 10 in. dia. bears N 40 W 30 lks. dist. &
 a Beech 12 " " " N 56 E 6 " "
 50.40 W. Oak 15 " "
 80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
 a Hickory 24 in. dia. bears N 79 E 28 lks. dist. &
 a W. Oak 30 " " " S 66 W 20 " "

- East On Random Between Secs. 21 & 28, T2N R3E.

T12 N. R3 E. 2^d. Mer. Indiana

473

- 40.00 Set the temp^y. q^t. Sec. post.
 53.50 a dry branch 8 lks. wide Course S. W.
 79.40 Intersected the N. & S. line 30 lks. S. of post
 Land inclining to wet level timber and ung^t.
 as before -

-
- West Corrected Between Sec^s. 21 & 28, T12 N. R. 3 E.
 39.70 Set a q^t. Sec. post at average dist. from which
 a Beech 12 in. dia^t. bears N44E 13 lks. dist. &
 a Do 14 " " " S44 W 25 " "
 79.40 To Section Corner. Aug^t. 18th 1820.

-
- North Between Sec^s. 20 & 21, T12 N. R. 3 E.
 01.13 an Elm 12 in. dia^t.
 40.00 Set the q^t. Sec. post. from which
 a Beech 16 in. dia^t. bears S76E 5 lks. dist. &
 a Do 14 " " " N30 W 20 " "
 51.25 a Beech 10 " "
 80.00 Set a post Corner to Sec^s. 16, 17, 20 & 21, from which
 a Hickory 18 in. dia^t. bears S34 W 15 lks. dist. &
 a Beech 12 " " " N68E 40 "
 Land level 2^d. rate timber Beech Ash Sugar
 & undergrowth Spice &c.

-
- East On Random Between Sec^s. 16 & 21, T12 N. R. 3 E.
 40.00 Set the temp^y. q^t. Sec. post
 79.70 Intersected the N. & S. line 40 lks. S. of post
 Land level 3^d. rate timber Beech Sugar W Oak
 undergth. Spice Ash & Green Briers.

-
- West Corrected Between Sec^s. 16 & 21, T12 N. R. 3 E.
 39.85 Set the q^t. Sec. post at average dist. from which
 a Sugar - in. dia^t. bears S43E 12 lks. dist. &

Twp. R3E.2^d Mer. Indiana

a W. Oak 36 in. dia. bears N 19 W 31 lks dist. &
79.70 to Section Corner " "

North Between Secs. 16 & 17, T12 N. R. 3 E,
25.00 a stream 10 lks. wide Course N.W.
39.85 a stream 30 " " " West.
40.00 Set the q^r. Sec. post from which
a Sycamore 15 in. dia. bears S 38 E 48 lks dist. &
a Hackberry 18 " " " N 8 E 58 " "
45.06 a Buckeye 24 " "
59.50 a stream 6 lks. wide Course West.
80.00 Set a post Corner to Secs. 8, 9, 16 & 17, from which
a Beech 10 in. dia. bears S 16 E 10 lks. dist. &
a Do 12 " " " N 63 W 17 " "
Land rolling 3^d. rate timber Beech Ash &c.
undergrowth Spice Green Briars -

East On Random Between Secs. 9 & 16, T12 N. R. 3 E,
16.50 a dry branch 8 lks. wide Course S. W.
40.00 Set the temp^y. q^r. Sec. post
48.75 a stream 12 lks. wide Course S. W.
79.90 Intersected the N. & S. line 22 lks. N. of post
Land and timber as before -

West Corrected Between Secs. 9 & 16, T12 N. R. 3 E,
39.95 Set q^r. Sec. post at average dist. from which
a Beech 24 in. dia. bears N 26 W 18 lks dist. &
a W. Oak 20 " " " S 63 E 16 " "
79.90 to Section Corner

North Between Secs. 8 & 9, T12 N. R. 3 E.
16.60 a Beech 12 in. dia.
40.00 Set the q^r. Sec. post, from which

475

S12 N. R3 E. 2. Mer. Indiana

a Beech 12 in. dia. bears S 75 E 6 chs. dist. 8
 a Do 14 " " " N 65 W 49 " "
 42.16 an Ash 7 " "
 70.00 a Stream 10 chs. wide Course S. W.
 80.00 Set a post Corner to Sec. 4, 5, 8 & 9, from which
 a Beech 24 in. dia. bears S 49 E 28 chs. dist. 8
 a Do — " " " N 32 W 37 " "
 Level 2^d. rate Land timber Beech Poplar Ash
 undergrowth Spice—

East On Random Between Sec. 4 & 9, S12 N. R3 E.
 21.75 a Stream 8 chs. wide Course S.
 40.00 Set the temp. y. q. Sec. post
 79.30 Intersected the N. & S. line 17 chs. N. of post
 Land timber undergrowth &c as above—

West On true line Between Sec. 4 & 9, S12 N. R3 E.
 39.65 Set q. Sec. post at average dist. from which
 a Beech 6 in. dia. bears S 40 E 4 chs. dist. 8.
 a Ash 12 " " " S 55 W 38 " "
 79.30 to Section Corner

North Between Sec. 4 & 5, S12 N. R3 E.
 12.55 a Beech 12 in. dia. bears
 40.00 Set the q. Sec. post from which
 a Beech 12 in. dia. bears S 50 E 29 chs. dist. 8
 a Do 15 " " " N 72 W 11 " "
 43.10 a Beech 15 " "
 64.87 Intersected the N. boundary 130 chs. West of post
 Set a post Corner to Sec. 4 & 5 from which
 a Sugar 11 in. dia. bears S 37 E 27 chs. dist. 8
 a Hickory 5 " " " N 66 W 7 " "
 Land &c. as on the last mile

S12 N R3 E. 2^d. Mer. Indiana

North Between Sec's 31 & 32, S12 N R3 E. Aug. 19th 1820.

12.50 a stream 10 lks wide Course ^{S.}E.

31.75 a Beech 7 in. dia.

40.00 Set the q^r. Sec. post from which
a Beech 14 in. dia. bears N 70 E 70 lks. dist. &
a Do 12 " " " N 75 W 22 " "

41.30 a Beech 15 " "

49.29 a Branch 15 lks. wide Course S. W.

80.00 Set a post Cor. to Sec's 29, 30, 31, & 32, from which
a Sugar 12 in. dia. bears N 33 W 15 lks. dist. &
a Ash 8 " " " S 27 E 89 " "
Land 3^d. rate timber Beech Ash Sugar.
undergrowth Spice

East On Random Between Sec's 29 & 32, S12 N R3 E.

1.60 a stream 50 lks. wide Course S.

40.00 Set the temp^y. q^r. Sec. post

79.74 Intersected the N. & S. line 65 lks. S. of post
Land and timber &c. as before

West Corrected Between Sec's 29, 32, S12 N R3 E.

39.97 Set the q^r. Sec. post at average dist. from which
a Beech 10 in. dia. bears N 74 E 18 lks. dist. &
a Ash 20 " " " S 71 W 24 " "

79.74 to Section Corner

West Between Sec's 30 & 31, S12 N R3 E.

3.75 a Beech 10 in. dia.

40.00 Set the q^r. Sec. post from which

a Beech 12 in. dia. bears N 28 E 2 lks. dist. &
a Do 10 " " " S 86 W 16 " "

43.40 a Beech 10 " "

68.50 Intersected W. boundary 58 lks. N. of post

T12N R3E 2nd Mer. Indiana

Set a post Cor. to Sec. 30 & 31, from which
 a Beech 12 in. dia. bears N 3 E 16 lks. dist. &
 a Do 16 " " " S 28 W 27 " "
 Land and timber as before

North Between Sec. 29 & 30, T12N, R. 3 E,
 5.50 Stream 8 lks. wide Course S. E,
 16.70 a Beech 10 in. dia.
 40.00 Set the q. Sec. post from which
 a Beech 20 in dia. bears S 34 E 21 lks. dist. &
 a Do 10 " " " N 36 W 37 " "
 41.10 a Sugar 36 in "
 80.00 Set a post Corner to Sec. 19, 20, 29 & 30, from which
 a R. Oak 36 in. dia. bears S 52 E 45 lks. dist. &
 a Beech 14 " " " N 65 W 32 " "
 Land and timber as before

East On Random Between Sec. 20 & 29, T12N, R. 3 E.
 40.00 Set the temp. q. Sec. post
 79.52 Intersected the N. & S. line 72 S. of post
 Land wet 2nd rate timber Ash Beech Hickory
 & W. Oak, and undergrowth Spice Ash &c.

West Corrected Between Sec. 20 & 29, T12, N. R. 3 E.
 39.76 Set a q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears N 10 E 52 lks. dist. &
 and Ash 16 " " " S 28 E 22 " "
 79.52 to Section Corner

West Between Sec. 19 & 30, T12 N R 3 E
 11.20 a Beech 12 in. dia.
 40.00 Set the q. Sec. post from which
 a Beech 14 in. dia. bears N 16 E 21 lks. dist. &

S12 N R3 E 2nd Mer. Indiana

- a Beech 7 in. dia. bears S 53 E 12 lks. dist. 7
 42.00 a Beech 15 " " " "
 47.00 a Stream 15 lks. wide Course S. W.
 68.47 Intersected W. boundary 657 lks. N. of post
 Set a post Corner to Sec. 19 & 20, from which
 a Sugar 12 in. dia. bears S 72 E 21 lks. dist. 8
 a Beech 10 " " " " N 70 W 7 " "
 Land rolling 3^d rate timber Beech Sugar
 Poplar undeg^t. Beech Spice &c. August 21. 1820.

- North Between Sec. 19 & 20, S12 N. R3 E,
 16.50 a Stream 5 lks. wide Course N. W.
 26.70 a Beech 15 in. dia.
 37.40 a Stream 10 lks. wide Course S. W.
 40.00 Set the q^r. Sec. post, from which
 a Beech 20 in. dia. bears S 88 E - lks. dist. 8
 a Do 16 " " " " N 74 W 20 " "
 47.00 a Spring draft S. E. Course
 57.75 a Beech 12 in. dia.
 75.95 a Spring draft Course N. W.
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 11 in. dia. bears N 57 W 7 lks. dist.
 a Do 8 " " " " S 55 E 12 " "
 Land and timber as before.

- East On Random Between Sec. 17 & 20, S12 N. R3 E,
 40.00 Set the temp^y. q^r. Sec. post
 79.74 Intersected the N. & S. line 15th south of post.
 3^d rate timber Beech Sugar undeg^t. Spice briars &c.

- West Corrected Between Sec. 17 & 20 S12 N 3 E,
 39.87 Set the q^r. Sec. post at average dist. from which
 a Hickory 14 in. dia. bears N 15 E 8 lks. dist. 8

T2N R3E. T. Mer. Indiana

479

a Water Beech 4 in. dia. bears S15 W 9 lks. dist.

- West Between Secs. 18 & 19, S12 N. R. 3 E
- 03.40 a Small Branch 6 lks. wide Course S. W.
- 03.75 a Beech 12 in. dia.
- 30.05 a Stream 15 lks. wide Course S. W.
- 40.00 Set the q. Sec. post, from which
a Willow 4 in. dia. bears N 31 W 10 lks. dist. &
an Ash 10 " " " N 70 E 31 " "
- 41.45 an Ash 12 " "
- 63.62 Intersected the W. boundary 839 lks. N. of post.
Set a post Corner to Secs. 18 & 19, from which
a Beech 15 in. dia. bears N 8 W 11 lks. dist. &
a Do 8 " " " S 67 W 6 " "
Land rolling 3^d. rate timber Beech Ash &c
undergth. Spice Beech & Green Pines.

- North Between Secs. 17 & 18, S12 N. R. 3 E.
- 01.20 a Stream 4 lks. wide Course West.
- 4.12 a Beech 12 in. dia.
- 15.00 a Stream 16 lks. wide Course S. W.
- 40.00 Set the q. Sec. post, from which
an Ash 20 in. dia. bears N 7 W 18 lks. dist. &
a Do 16 " " " S 15 E 31 " "
- 61.50 a Spring draft Course S. W.
- 80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
a Beech 22 in. dia. bears S 5 E 17 lks. dist. &
a Do 10 " " " N 67 E 19 " "
Land rolling 3^d. rate timber Beech W. Oak
undergth. Spice Beech &c.

- East On Random Between Secs. 8 & 17, S12 N. R. 3 E.
- 40.00 Set the temp. q. Sec. post

S12 N R3 E2. Mer. Indiana

54. 50 a Stream 5 lks. wide Course S. W.
 79. 84 Intersected the N. & S. line 179 lks. S. of post
 Land and timber as before -

West Corrected Between Secs. 8 & 17, S12 N. R. 3 E.
 39. 92 Set a q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 68 W 52 lks. dist. &
 an Ash 12 " " " N 74 E 36 " "
 79. 84 to Section Corner

West Between Secs. 7 & 18, S12 N. R. 3 E.
 18. 50 a Stream 20 lks. wide Course South
 40. 00 Set the q. Sec. post from which
 a Sugar 14 in. dia. bears S 20 E 12 lks. dist. &
 a Beech 10 " " " N 75 W 13 " "
 41. 65 a Stream 6 lks. wide Course S. W.
 68. 41 Intersected W. boundary 941 lks. N. of post
 Set a post Cor. to Secs. 7 & 18, from which
 an Ironwood 6 in. dia. bears N 9 W 27 lks. dist. &
 a Ho 4 " " " S 32 E 16 " "
 Land and timber as on last mile -

North Between Secs. 7 & 8, S12 N. R. 3 E.
 15. 50 a Stream 5 lks. wide Course West.
 18. 60 a Beech 12 in. dia.
 35. 00 a Stream 12 lks. wide Course S. W.
 40. 00 Set the q. Sec. post from which
 an Ash 35 in. dia. bears N 76 W 22 lks. dist. &
 a Beech 12 " " " N 69 E 27 " "
 59. 00 Poplar 48 " "
 81. 00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which
 a Thorn 7 in. dia. bears N 58 E 30 lks. dist. &
 a W. Beech 6 " " " S 57 W 16 " "

S12 N. R3 E, 2nd Mer. Indiana

Land and timber as before

East On Random Betwⁿ Sec^s. 5 & 8, S12 N. 3 E.
 40. 00 Set the temp^y. of. Sec. post
 90. 12 Intersected the N. & S. line 67 lks. South of post.
 Land level 2nd rate timber Beech Ash Sugar
 undergrowth Spice &c

West Corrected Between Sec^s. 5 & 8, S12 N. R. 3 E.
 40. 06 Set a of. Sec. post at average dist. from which
 a Beech 14 in. dia^l. bears S34 E 32 lks. dist. &
 a Do 16 " " " N69 W 12 " "
 80. 12 to Section Corner August 22. 1820

West Between Sec^s. 6 & 7, S12 N. R 3 E
 11. 40 a Beech 24 in. dia^l.
 13. 00 a Dry branch 8 lks. wide Course S. W.
 40. 00 Set the of. Sec. post from which
 a Beech 12 in. dia^l. bears N30 E 5 lks. dist. &
 and Ash 15 " " " S22 E 24 " "
 41. 20 and Ash 15 " "
 67. 64 Intersected the W. boundary 11.47 lks. N. of post
 Set a post Cor. to Sec^s. 6 & 7. from which
 a Sugar 11 in. dia^l. bears East 10 lks. dist. &
 a Beech 16 " " " S26 W 32 " "
 Land level good 2nd rate, timber Beech, Ash,
 Sugar, undergth. Spice &c.

North Between Sec^s. 5 & 6, S12 N. R 3 E.
 23. 50 a Beech 11 in. dia^l.
 40. 00 Set the of. Sec. post, from which
 a W. Oak 24 in. dia^l. bears N14 E 18 lks. dist. &
 an Ash 18 " " " S27 W 30 " "

T12N R3E T³ Mer. Indiana

55.12 a Beech 15 in. dia.

64.42 intersected the N. boundary 2.12 Ch. N. of post
 set post Cor. to Sec. 5 & 6, from which
 a Beech 15 in. dia. ran N4E 20 Ch. dist. 4
 a do 18 " " " N35W 19 " "
 Sand timber etc. Same as on the last mile
 Surveyed by Thomas Hendricks, R. S.

Comp.

The End of Vol. 3.

I Certify that the foregoing transcript of field notes of Township
 N. 12 North, Range N. 3 East T³ Mer. Indiana, has been
 Comp.^d with the original notes in this Office & found to be correct.
 Surveyor General's Office
 Cincinnati, May 22^d 1841

O. S. Fairer
 Sur. Gen.